



SUPERIOR®

AMERICA'S MOST COMPLETE LOCKER LINE®

www.ListIndustries.com

***Proudly Made
in America
Since 1936***





**OPEN
HERE**
FOR STEEL LOCKER
SPECIFICATION
GUIDE

**LOCKERS • SHELVING • CABINETS
PORTABLE GATES • WORKBENCHES**

INDUSTRY'S LARGEST QUICK-SHIP PROGRAM

QUICK-SHIP BENEFITS

- ✓ **No Setup Charges**
- ✓ **No Minimum Order Quantity**
- ✓ **Industry's Best Discount**

ADVANTAGES OF SIX DISTRIBUTION CENTERS

- ✓ **Reduces Freight Cost**
- ✓ **Reduces Transit Time**
- ✓ **Minimizes Carrier Handling**

All In-Stock Products

Ship in **5** Business Days!



PAGE	LOCKER TYPE	Catalog Code	Body Construction	Door Gauge	Ventilation	Door Ventilation Options	Door Stiffener Panel
13	Classic KD Wardrobe Lockers, 12" wide and wider	SK	Knock Down	16 CRS	Louvered	Sec-Plus, Diam Perf	No
13	Classic KD Wardrobe Lockers, 9" wide	SK	Knock Down	18 CRS	Louvered	Sec-Plus, Diam Perf	No
14	Classic KD Two-Person Lockers	SK	Knock Down	18 CRS	Louvered ²	Sec-Plus, Diam Perf	No
14	Classic KD Duplex Lockers	SK	Knock Down	18 CRS	Louvered	Sec-Plus, Diam Perf	No
13-14	Classic KD Box Lockers includes 16-Person & 4-wide wall mount	SK	Knock Down	18 CRS	Louvered	Plain, Sec-Plus, Diam Perf	No
14	Standard Quiet KD Wardrobe Lockers, 12" wide and wider	SQ	Knock Down	16 CRS	Plain		No
14	Standard Quiet KD Wardrobe Lockers, 9" wide	SQ	Knock Down	18 CRS	Plain		No
14	Whisper Quiet KD Wardrobe Lockers, 12" wide and wider	WQ	Knock Down	16 CRS	Plain		No
14	Whisper Quiet KD Wardrobe Lockers, 9" wide	WQ	Knock Down	18 CRS	Plain		No
15	HDC KD Wardrobe Lockers	HDC	Knock Down	14 CRS	Louvered	Plain, Sec-Plus, Diam Perf	No
15	HDC Premier Wardrobe Lockers	HDCP	Knock Down	14 CRS	Louvered	Plain, Sec-Plus, Diam Perf	Yes
15	Marquis Student Wardrobe Lockers	LMS	Knock Down	14 CRS	Plain	Louvered, Sec-Plus, Diam Perf	Yes
16	HDV KD Wardrobe Lockers	HV	Knock Down	14 CRS	Diam Perf	Louvered, Plain, Sec-Plus	No
16	HDV Premier KD Wardrobe Lockers	HVP	Knock Down	14 CRS	Diam Perf	Louvered, Plain, Sec-Plus	Yes
16	HDV KD Box Lockers	HV	Knock Down	14 CRS	Diam Perf	Louvered, Plain, Sec-Plus	No
16	Marquis HDV KD Wardrobe Lockers	LMH	Knock Down	14 CRS	Diam Perf	Louvered, Plain, Sec-Plus	Yes
16	Safety-View KD Wardrobe Lockers	SV	Knock Down	16 CRS/Poly ³	Plain		No
16	Safety-View Plus KD Box Lockers includes 16-Person & 4-wide wall mount	SVP	Knock Down	1/8" Poly ⁴	Plain		No
20	304 Stainless Steel (wardrobe)	SS	Knock Down	16 SS	Louvered	N/A	No
20	304 Stainless Steel (box)	SS	Knock Down	18 SS	Louvered	N/A	No
5	Team Athletic Wardrobe Lockers	LWA	Fully-Framed All-Welded	14 CRS	Diam Perf	Louvered, Plain, Sec-Plus	No
5	Team Premier Athletic Wardrobe Lockers	LPA	Fully-Framed All-Welded	14 CRS	Diam Perf	Louvered, Plain, Sec-Plus	Yes
5	Turn-Handle Team Athletic Wardrobe Lockers	LWT	Fully-Framed All-Welded	14 CRS	Diam Perf	Louvered, Plain, Sec-Plus	No
5	Turn-Handle Team Premier Athletic Wardrobe Lockers	LPT	Fully-Framed All-Welded	14 CRS	Diam Perf	Louvered, Plain, Sec-Plus	Yes
6	PE Athletic Box Lockers (Top Hinge)	LWA	Fully-Framed All-Welded	14 CRS	Diam Perf	Louvered, Plain, Sec-Plus	No
6	PE Premier Athletic Box Lockers (Side Hinge)	LPA	Fully-Framed All-Welded	14 CRS	Diam Perf	Louvered, Plain, Sec-Plus	Yes
7	Marquis Champion Athletic Lockers	LMC	Fully-Framed All-Welded	14 CRS	Diam Perf	Louvered, Plain, Sec-Plus	Yes
4	All-Star MVP Open-Front Sport Lockers	AS	Fully-Framed All-Welded	Open Front	N/A		N/A
	Wallet Security Box		Fully-Framed All-Welded	16 CRS	Plain		No
	12" Wide Security Box		Fully-Framed All-Welded	14 CRS	Plain	Louvered, Sec-Plus, Diam Perf	No
	Full-Width Security Compartment		Fully-Framed All-Welded	14 CRS	Sec-Plus	Louvered, Plain, Diam Perf	No
	Foot Locker		Fully-Framed All-Welded	14 CRS	Plain	Front has Security Plus vents	Yes
7	TA-50 Equipment Manager - Double Door Lockers	EM	Fully-Framed All-Welded	14 CRS	Diam Perf	Louvered, Plain, Sec-Plus	Yes
8	Graduate Corridor Lockers	LWC	Fully-Framed All-Welded	14 CRS	Louvered	Plain, Sec-Plus, Diam Perf	No
8	Graduate Premier Corridor Lockers	LPC	Fully-Framed All-Welded	14 CRS	Louvered	Plain, Sec-Plus, Diam Perf	Yes
8	Marquis Protector Corridor Lockers	LMP	Fully-Framed All-Welded	14 CRS	Plain	Louvered, Sec-Plus, Diam Perf	Yes
9	Classmate Corridor Lockers	LUC	Unibody All-Welded	14 CRS	Louvered	Plain, Sec-Plus, Diam Perf	No
9	Classmate Premier Corridor Lockers	LUP	Unibody All-Welded	14 CRS	Louvered	Plain, Sec-Plus, Diam Perf	Yes
9	Booksafe III Corridor Lockers	BSIII	Unibody All-Welded	14 CRS	Plain	Louvered, Sec-Plus, Diam Perf	Yes
10	Task Force XP Emergency Response Lockers	HERL	Unibody All-Welded	14 CRS Galv	Louvered	Plain, Sec-Plus, Diam Perf	Yes
10	Cubbie Lockers		Unibody All-Welded	N/A	N/A	N/A	N/A
12	Uniform Exchange Lockers	HUE	Knock-Down	20 Ga CRS	Louvered		No
11	Turnout Gear Lockers	TG	Fully-Framed All-Welded	Open Front	N/A		N/A
	12" Wide Security Box		Fully-Framed All-Welded	14 Ga Galv	Plain		No
	Foot Locker		Fully-Framed All-Welded	14 Ga Galv	Plain	Front has Security plus vents	Yes
	Full Door		Fully-Framed All-Welded	14 Ga Galv	Diam Perf		Yes

FOOTNOTES:

1. MaxOption upgrades standard 24 gauge body components to 16 gauge, back will be 18 gauge
2. Two-Person lockers include plain (Non-louvered) upper box doors. Wardrobe doors are louvered
3. Safety-View lockers include 16 gauge CRS doors with a polycarbonate panel at top and bottom of each door
4. Safety-View Plus lockers include clear polycarbonate doors available in door 4-tier and 12" wide x 12" high doors 5-tier, 6-tier, 16 person and 4-wide
5. Uniform Exchange 8 and 9 person lockers have louvered patron doors.
6. Uniform Exchange Locker main doors have multi-point, key operated latch and a single point padlock knob handle.

ATIONS GUIDE

Sound Deadening	Hinge Type	Latching Type	Handle Type	Side Gauge	Ventilated Sides	Top Gauge	Bottom Gauge	Hat/Int Shelf Gauge	Back Gauge	Optional Ventilated Backs	Optional Integral Slope Top
No	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Friction Catch	Finger Pull	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
Yes	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 GA CRS	No	No
Yes	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Single-Point	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Lifter	Drawn	16 Ga CRS	Diam Perf	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Lifter	Drawn	16 Ga CRS	Diam Perf	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Friction catch	Finger Pull	16 Ga CRS	Diam Perf	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Single-Point	Drawn	16 Ga CRS	Diam Perf	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Friction Catch	Finger Pull	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	5-Knuckle	Lifter	Drawn	24 Ga 304	No	24 Ga 304	24 Ga 304	24 Ga 304	24 Ga 304	No	No
No	5-Knuckle	Friction Catch	Finger Pull	24 Ga 304	No	24 Ga 304	24 Ga 304	24 Ga 304	24 Ga 304	No	No
No	3-1/2"	Lifter	Drawn	13 Ga Exp Mtl	Exp Metal	16 Ga CRS	16 Ga Galv	16 Ga Galv	18 Ga CRS	13 Ga Exp Mtl	No
No	3-1/2"	Lifter	Drawn	13 Ga Exp Mtl	Exp Metal	16 Ga CRS	16 Ga Galv	16 Ga Galv	18 Ga CRS	13 Ga Exp Mtl	No
No	3-1/2"	3-Point Positive	Turn-Handle	13 Ga Exp Mtl	Exp Metal	16 Ga CRS	16 Ga Galv	16 Ga Galv	18 Ga CRS	13 Ga Exp Mtl	No
No	3-1/2"	3-Point Positive	Turn-Handle	13 Ga Exp Mtl	Exp Metal	16 Ga CRS	16 Ga Galv	16 Ga Galv	18 Ga CRS	13 Ga Exp Mtl	No
No	Top Hinged	Spring Bolt	Padlock Hasp	13 Ga Exp Mtl	Exp Metal	16 Ga CRS	16 Ga Galv	16 Ga Galv	18 Ga CRS	13 Ga Exp Mtl	No
No	3-1/2"	Friction Catch	Finger Pull	13 Ga Exp Mtl	Exp Metal	16 Ga CRS	16 Ga Galv	16 Ga Galv	18 Ga CRS	13 Ga Exp Mtl	No
No	3-1/2"	Single-Point	Drawn	13 Ga Exp Mtl	Exp Metal	16 Ga CRS	16 Ga Galv	16 Ga Galv	18 Ga CRS	13 Ga Exp Mtl	No
No	N/A	N/A	N/A	13 Ga Exp Mtl	Exp Metal	16 Ga CRS	16 Ga Galv	16 Ga Galv	18 Ga CRS	13 Ga Exp Mtl	No
No	Piano	Friction Catch	Finger Pull	16 Ga CRS	No	16 Ga CRS	16 Ga Galv	16 Ga Galv	16 Ga CRS	N/A	No
No	3-1/2"	Friction Catch	Finger Pull	16 Ga CRS	No	16 Ga CRS	16 Ga Galv	16 Ga Galv	18 Ga CRS	N/A	No
No	Top Hinged	Spring Bolt	Padlock Hasp	13 Ga Exp Mtl	Exp Metal	16 Ga CRS	16 Ga Galv	16 Ga Galv	18 Ga CRS	N/A	No
No	Piano	Padlock Loop	Padlock Hasp	13 Ga Exp Mtl	Exp Metal	14 Ga CRS	16 Ga Galv	16 Ga Galv	18 Ga CRS	N/A	No
No	3-1/2"	3-Point Positive	Turn-Handle	13 Ga Exp Mtl	Exp Metal	16 Ga CRS	16 Ga Galv	16 Ga Galv	18 Ga CRS	13 Ga Exp Mtl	No
No	3-1/2"	Lifter	Drawn	18 Ga CRS	No	16 Ga CRS	16 Ga Galv	16 Ga Galv	18 Ga CRS	13 Ga Exp Mtl	No
No	3-1/2"	Lifter	Drawn	18 Ga CRS	No	16 Ga CRS	16 Ga Galv	16 Ga Galv	18 Ga CRS	13 Ga Exp Mtl	No
No	3-1/2"	Single-Point	Drawn	18 Ga CRS	No	16 Ga CRS	16 Ga Galv	16 Ga Galv	18 Ga CRS	13 Ga Exp Mtl	No
No	Piano	Lifter	Drawn	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	No	Yes
No	Piano	Lifter	Drawn	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	No	Yes
No	Piano	Single-Point	Drawn	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	No	Yes
No	Piano	3-Point Positive	Turn-Handle	16 Ga Galv	No	16 Ga Galv	16 Ga Galv	16 Ga Galv	18 Ga Galv	No	No
N/A	N/A	N/A	N/A	16 Ga CRS	No	16 Ga CRS	16 Ga Galv	16 Ga CRS	18 Ga CRS	No	No
No	5-Knuckle	See note 6	See note 6	24 Ga CRS	No	24 Ga CRS	24 Ga Galv	24 Ga CRS	24 Ga CRS	Std	No
No	N/A	N/A	N/A	13 Ga Exp Mtl	Exp Metal	16 Ga Galv	16 Ga Galv	16 Ga Galv	18 Ga Galv	13 Ga Exp Mtl	No
No	3-1/2"	Friction Catch	Finger Pull	16 Ga Galv	No	16 Ga Galv	16 Ga Galv	16 Ga Galv	18 Ga Galv	N/A	N/A
No	Piano	Padlock Loop	Padlock Hasp	13 Ga Exp Mtl	Exp Metal	14 Ga Galv	16 Ga Galv	16 Ga Galv	18 Ga Galv	N/A	N/A
No	3-1/2"	Lifter	Drawn	13 Ga Exp Mtl	Exp Metal	16 Ga Galv	16 Ga Galv	16 Ga Galv	18 Ga Galv	N/A	N/A

LEGEND:

MATERIAL

- CRS: Cold roll sheet steel
- GALV: Galvanneal corrosion resistant sheet steel
- EXP MTL: 13 Gauge 1/2" flattened expanded metal

HINGES

- 3-1/2": 13 gauge 7-knuckle hinges, riveted to frame, welded to door
- Piano: 16 gauge continuous piano hinge, riveted to frame, welded to door
- Top Hinged: 3/16" continuous hinge rod - concealed, riveted to door behind number plate

h 12" wide x 18" high
wide wall mount only.


atching. Patron doors have

2 for our full-line catalog and specifications.



Specify **SAFEMESH84™** for the industry's safest high ventilation athletic lockers.

SUPERIOR FULLY-FRAMED ALL-WELDED LOCKERS FEATURE SAFEMESH84, THE INDUSTRY'S STRONGEST AND SAFEST EXPANDED METAL



SUPERIOR®

1/2" 13 Gauge, Flattened, Expanded Metal



COMMON

3/4" 13 Gauge, Flattened, Expanded Metal

RIGIDITY:

84% more steel ensures a more rigid unit

STRENGTH:

84% more steel than 3/4" style

SAFETY:

Smaller 1/2" diamond design keeps fingers out

SECURITY:

Reduces risk of loss, theft and content damage



ALL SUPERIOR METAL AND PLASTIC LOCKERS ARE GREENGUARD GOLD CERTIFIED

Greenguard is an indoor air quality certification program for low emitting products and materials that evaluates over 75,000 chemicals, including volatile organic compounds, carcinogens and reproductive toxins. Referenced in both the Collaborative for High Performance Schools (CHPS) and the Leadership for Energy and Environment Design (LEED) Building Rating System, Greenguard Gold Certification establishes strict chemical emission standards for products intended for use in environments where children and others work, play or reside.



GALVANITE™ Corrosion resistant sheet steel prevents rust and corrosion

IDEAL FOR USE IN HIGH HUMIDITY AREAS, OUTDOOR LOCATIONS, NEAR SHOWER, POOL AREAS AND FOOD INDUSTRY FACILITIES

GALVANITE™, is List Industries' trade marked name for lockers and cabinets manufactured with galvanneal sheet steel components and finished with an electrostatically applied high-grade powder coat finish. Galvanite and

powder coat offer exceptional double protection against corrosion, even under the most adverse conditions. Tests indicate that galvanneal increases the estimated life cycle threefold.


GALVANITE™ COLD ROLLED SHEET STEEL

with our powder coat finish after a 336 hour salt spray test.



COMMON COLD ROLLED SHEET STEEL

with a 1 mil dry film build paint thickness after a 336 hour salt spray test.



WHAT IS GALVANNEAL?

Galvanneal is the result of the combined processes of galvanizing (hot-dipped zinc coating) and annealing (heat treatment). Galvanneal does not flake off its galvanized coating when formed, stamped, and bent.

The very fine matte finish acts like a primer that easily adheres to paint. These characteristics make galvannealed sheet steel ideal for steel lockers in high humidity, corrosion prone areas.

VENTILATION

- DIAM PERF: Diamond perforated
- PLAIN: No louvers
- SEC PLUS: Security Plus™ door ventilation
- LOUVERED: 3" louvers

HANDLES

- Turn-Handle: Projecting 3-point Cremona Handle with 3/8" diameter lock rods engaging frame at top, bottom and jamb
- Drawn: Seamless deep drawn stainless steel recessed handle
- Padlock Hasp: Projecting spring-bolt latch with padlock hasp
- Finger Pull: Thru-the-door projecting padlock hasp with finger pull

Visit www.ListIndustries.com or call 800-776-1342 for our full-line catalog and specifications

SUPERIOR[®]

AMERICA'S MOST COMPLETE LOCKER LINE



ALL-STAR[®] fully-framed all-welded OPEN FRONT SPORT LOCKER



THE INDUSTRY'S SUPERIOR LOCKER!

Superior All-Star lockers are the industry's most demanded sport lockers by high school, collegiate and professional athletic programs. Since the introduction of our All-Star locker back in 1984, we have custom designed hundreds of variations for programs throughout the country.

All-Star lockers feature our exclusive Hollow-T framing system, expanded metal sides for maximum ventilation and interlocking body components creating a functional yet durable sports locker guaranteed in writing to last a lifetime.


The versatility of our Hollow-T framing system allows you to customize a locker to meet your specific needs. *Feel free to contact our inside sales department at 1-800-776-1342 to discuss how we can best meet your locker room needs.*



Shown with optional 12" wide security box (upper side is solid) and foot locker/seat



Shown with optional full width security compartment and lower seat/shelf



Shown with optional wallet security box (7-1/4" wide x 9" deep x 7-1/4" High) and lower seat/shelf



Base model includes upper hat shelf, stainless steel coat rod and two single hooks

Locker Sizes

All-Star Sport Lockers	
WIDTHS	12", 15", 18", 24", 30", 33", 36"
DEPTHS	12", 16", 18", 22"
NOMINAL COLUMN HEIGHTS	60", 72", 84"
Actual locker column height is 2-3/4" over nominal column heights shown for 60" and 72" models. 84" high models will be 84" actual. All-Star lockers will ship in multiple column units up to 60" wide to meet individual job site conditions.	



Underside of optional foot locker seat is reinforced to support today's athlete



Stainless steel coat rod for added convenience.



fully-framed all-welded ATHLETIC TEAM LOCKERS ARE BUILT TO LAST



THE VARSITY

Designed with the athlete in mind, single tier lockers are highly recommended for varsity team rooms. These lockers are also excellent in combination with P.E. Lockers (Page 6). Varsity Lockers are engineered to withstand excessive abuse.



THE JR. VARSITY

Jr. Varsity double tier lockers are ideal when budget or space limitations apply. Double tier lockers can be used in team rooms as well as in P.E. rooms in combination with P.E. Lockers (page 6).



THE INTRAMURAL

Intramural triple tier athletic locker are ideal when space and/or funds are limited. The opening height allows clothing to hang on hooks allowing better ventilation than a smaller P.E. Locker. Intramural Lockers are also ideal for use in combination with P.E. Lockers (page 6).




STANDARD

Deep drawn stainless steel recessed handle with gravity lift-type latching

STANDARD

Our heavy-duty 13 gauge 7-knuckle 3-1/2" hinge vs. common 2" K.D. locker style hinge



OPTIONAL

3-point projecting turn-handle latching is available for Varsity, Jr.Varsity and Intramural Team lockers. Contact factory for turn-handle specifications. Not available on 9" wide lockers.



UPGRADE TO THE PREMIER SERIES OF TEAM LOCKERS

which include a 3" wide 18 gauge full height door stiffener spot welded to the inner door face and MIG welded to the hinge side as well as to the top and bottom door flanges providing a rigid torque-free door. A 1-1/2" wide stiffener will be furnished for 9" wide Premier Series Team Locker doors as well as for the 12" wide Premier Series turn-handle doors.

Features

BODY CONSTRUCTION: Fully-framed all-welded Hollow-T construction, 13 gauge 1/2" fully-framed flattened expanded metal sides, 16 gauge continuous top, 18 gauge solid back, 16 gauge galvanized bottom

DOORS: 14 gauge diamond perforated doors are standard. Plain, louvered and Security-Plus door styles are available

HANDLE: Deep-drawn seamless stainless steel recessed handle. Optional projecting 3-point turn-handle is available.

LATCHING: 11 gauge latch hooks with riveted on bumper MIG welded to Hollow-T frame. Gravity lift-type multi-point spring loaded latching:

- 3-point latching for openings 48" high and higher
- 2-point latching for openings 20" high thru 36" high

HINGES: Heavy-duty 13 gauge 7-knuckle 3-1/2" hinges:

- 3-hinges per opening 48" high and higher
- 2-hinges per opening 20" high thru 36" high

SHELVES: 16 gauge galvanized hat shelf for Varsity openings 60" and 72" high, 16 gauge galvanized intermediate shelves

HOOKS: 2-single hooks and 1-double hook is standard. 1-double hook only for triple tier and 1-double and 1-single hook for 9" wide openings 30" and higher

WARRANTY: Lifetime

SIZES: See chart for standard sizes

All-Welded Wardrobe Locker Sizes

Single Tier	
WIDTHS	9", 12", 15", 18", 24"
DEPTHS	12", 16", 18", 22"
NOMINAL COLUMN HEIGHTS	48", 60", 64", 72"
Double Tier	
WIDTHS	9", 12", 15", 18", 24"
DEPTHS	12", 16", 18", 22"
OPENING HEIGHTS	24", 30", 32", 36"
NOMINAL COLUMN HEIGHTS	48", 60", 64", 72"
Triple Tier	
WIDTHS	9", 12", 15", 18", 24"
DEPTHS	12", 16", 18", 22"
OPENING HEIGHTS	20", 24"
NOMINAL COLUMN HEIGHTS	60", 72"

Actual locker column height is 2-3/4" over nominal column heights shown for 60" and 72" models. 84" high models will be 84" actual. Welded lockers will ship in multiple column units up to 60" wide to meet individual job site conditions.

SUPERIOR®

AMERICA'S MOST COMPLETE LOCKER LINE



fully-framed all-welded ATHLETIC P.E. LOCKERS

Superior® P.E. lockers are the perfect solution when locker room space is at a premium.

Heavy gauge fully-framed all-welded construction combined with modern features and the design flexibility of our Hollow-T framing system allows you to customize a locker room environment which is user friendly and maximizes space. Innovative solutions like our Gym Class 9E locker configurations are the result of listening to the needs of coaches and P.E. instructors for more than 60 years.



Side hinged doors are standard for 15" and 18" high, optional for doors 12" high and under (see notes)



Top hinged doors are standard for doors 12" high and under and include spring bolt latching



Deep drawn stainless steel recessed handle with single-point latching is optional on side hinged gym doors

MAXIMIZE YOUR SPACE GYM CLASS 9E (6:1 RATIO)

This unit is a favorite among architects, coaches and physical education instructors across the country. Superior Gym Class 9E lockers accommodate 12 students in a compact three lineal feet of space utilizing the popular 6:1 ratio replacing the typical "626" combination. The benefit is that each gym locker where physical education clothing is stored is a full 18" wide x 8" high. Each wardrobe locker where height is needed for hanging school clothing is 9" wide x 48" high. **Standard Gym Class 9E unit size is 36 - 3/8" wide x (12", 16", 18", 22") deep x 74-3/4" high actual**



GYM CLASS LOCKER UNITS



TYPICAL UNITS



VS.

All gym doors shown with optional padlock strike plates which protect finish from being marred by padlock

- Maximizes ventilation for clothing and shoes
- Increases shelf space by 50%
- Adds 12" in height to wardrobe opening
- One gym locker at unit bottom in lieu of two
- 3 latch points and 3 hinges per wardrobe door instead of 2

Features

BODY CONSTRUCTION: Fully-framed all-welded Hollow-T construction, 13 gauge 1/2" fully-framed flattened expanded metal sides, 16 gauge continuous top, 18 gauge solid back, 16 gauge galvalneal bottom

DOORS: 14 gauge diamond perforated doors are standard. Louvered, Security-Plus and plain door styles are available. Doors 12" high and under are standard with top hinge. Doors 15" and 18" high are standard with side hinge.

HANDLE/LATCHING: Top hinge doors have a projecting spring loaded heavy-duty latch/handle with integral padlock lug. Side hinge doors have a single-point thru-the-door projecting finger pull handle with padlock hasp. Optional deep-drawn seamless stainless steel recessed handle is available in side hinged gym doors only and will utilize our Marquis style thru-the-handle single-point no moving parts latching and include two 13 gauge 7-knuckle 3-1/2" hinges

HINGES: Top hinge doors use a concealed 3/16" continuous rod. Side hinge doors use two heavy-duty 13 gauge 7-knuckle 3-1/2" hinges. Optional side hinged doors 8" and 9" high will have special hinges

HOOCS: None


SHELVES: 16 gauge galvalneal intermediate shelves

WARRANTY: Lifetime

SIZES: See chart for standard sizes

All-Welded Box Locker Sizes

Standard P.E. Locker Sizes		
Widths for all gym locker openings 12", 15", 18"		
Depths for all gym locker openings 12", 16", 18", 22"		
Tier	Opening Heights	Nominal Column Heights
Four Tier	8", 9", 12", 15", 18"	32", 36", 48", 60", 72"
Five Tier	12", (4) 15" & (1) 12"	60", 72"
Six Tier	8", 10", 12"	48", 60", 72"
Seven Tier	(6) 10" & (1) 12"	72"
Eight Tier	8", 9"	64", 72"
Nine Tier	8"	72"
Actual column height is 2-3/4" over nominal height. Please note that the actual units supplied will be fabricated to meet layout and job conditions in standard width units up to 60" wide		





TA-50 fully-framed all-welded EQUIPMENT MANAGER™ LOCKERS

The Equipment Manager is a fully-framed, all-welded locker that is the secure answer to your storage needs. Ideal for military gear storage.



3-point turn-handle latching

Features

BODY CONSTRUCTION: Fully-framed all-welded construction, 13 gauge 1/2" fully-framed flattened expanded metal sides, 16 gauge top and 18 gauge solid back, 16 gauge galvaneal bottom. Optional solid sides are available.

DOORS: 14 gauge diamond perforated doors with 18 gauge full-height door stiffener for both doors is standard. Louvered, Security-Plus and plain door styles are available

HANDLE: 3-point turn-handle latching shelves: 16 gauge galvaneal upper shelf located 12" down from top, 16 gauge galvaneal lower shelf located 18" up from bottom and 16 gauge galvaneal bottom shelf

HINGES: Heavy-duty 13 gauge 7-knuckle 3-1/2" hinges sizes: See below for locker sizes

ACCESSORIES: Stainless steel coat rod located under upper shelf

WARRANTY: Lifetime

Locker Sizes

TA-50 Equipment Manager Lockers

WIDTHS	24", 30", 36", 42", 48"
DEPTHS	12", 16", 18", 22", 24"
HEIGHTS	60", 72", 84"

Actual locker column height is 2-3/4" over nominal column heights shown for 60" and 72" models. 84" high model will be 84" actual. Equipment Manager lockers will ship in multiple column units up to 60" wide to meet individual job site conditions.

MARQUIS® CHAMPION fully-framed all-welded ATHLETIC LOCKERS

This is the most rugged and demanded athletic locker available today!



Deep drawn stainless steel recessed handle with single-point latching

Marquis Champion Lockers include a 3" wide 18 gauge full height door stiffener spot welded to the inner door face and MIG welded to the hinge side as well as to the top and bottom door flanges providing a rigid torque-free door. A 1-1/2" wide stiffener will be furnished for 9" wide Marquis doors.

Features

BODY CONSTRUCTION: Fully-framed all-welded Hollow-T construction, 13 gauge 1/2" fully-framed flattened expanded metal sides, 16 gauge continuous top, 18 gauge solid back, 16 gauge galvaneal bottom

DOORS: 14 gauge diamond perforated doors with a full height 3" wide 18 gauge door stiffener are standard. Plain, louvered and Security-Plus door styles are available. All doors are side hinged

HANDLE: Deep-drawn single-point seamless stainless steel recessed handle

LATCHING: Single-point maintenance-free quiet latching with 11 gauge MIG welded latch

HINGES: Heavy-duty 13 gauge 7-knuckle 3-1/2" hinges:

- 3-hinges per opening 48" high and higher
- 2-hinges per opening 36" high and under

HOOKS: 2-single hooks and 1-double hook is standard. 1-double hook only for triple tier and 1-double and 1-single hook for 9" wide openings 30" and higher

SHELVES: 16 gauge galvaneal hat shelf for single tier openings 60" and 72" high, 16 gauge galvaneal intermediate shelves

WARRANTY: Lifetime

SIZES: See page 5 and 6 for standard sizes



GRADUATE™ fully-framed all-welded CORRIDOR LOCKERS



Deep drawn stainless steel recessed handle with gravity lift-type latching



UPGRADE TO PREMIER SERIES GRADUATE LOCKERS which include a 3" wide 18 gauge full height door stiffener spot welded to the inner door face and MIG welded to the hinge side as well as to the top and bottom door flanges providing a rigid torque-free door. A 1-1/2" wide stiffener will be furnished for 9" wide Premier Series doors.

Features

BODY CONSTRUCTION: Fully-framed all-welded Hollow-T construction, 18 gauge fully-framed solid sides, 16 gauge continuous top, 18 gauge solid back, 16 gauge galvaneal bottom

DOORS: 14 gauge louvered doors are standard (Premier series adds a 3" wide 18 gauge door stiffener). Plain, Security-Plus, Safety-View and diamond perforated door styles are available

HANDLE: Deep-drawn seamless stainless steel recessed handle

LATCHING: 11 gauge latch hooks with riveted on bumper MIG welded to Hollow-T frame. Gravity lift-type multi-point spring loaded latching:

- 3-point latching for openings 48" high and higher
- 2-point latching for openings 20" high thru 36" high

HINGES: Heavy-duty 13 gauge 7-knuckle 3-1/2" hinges:

- 3-hinges per opening 48" high and higher
- 2-hinges per opening 20" high thru 36" high

SHELVES: 16 gauge galvaneal hat shelf for single tier openings 60" and 72" high, galvaneal intermediate shelves

HOOKS: 2-single hooks and 1-double hook is standard. 1-double hook only for triple tier and 1-double and 1-single hook for 9" wide openings 30" and higher

WARRANTY: Lifetime

SIZES: See page 5 for standard sizes

MARQUIS® PROTECTOR fully-framed all-welded CORRIDOR LOCKERS

THE INDUSTRY'S TOUGHEST CORRIDOR LOCKER



Deep drawn stainless steel recessed handle with single-point latching



MARQUIS PROTECTOR LOCKERS include a 3" wide 18 gauge full height door stiffener spot welded to the inner door face and MIG welded to the hinge side as well as to the top and bottom door flanges providing a rigid torque-free door. A 1-1/2" wide stiffener will be furnished for 9" wide Marquis doors.

Features

BODY CONSTRUCTION: Fully-framed all-welded Hollow-T construction, 18 gauge fully-framed solid sides, 16 gauge continuous top, 18 gauge solid back, 16 gauge galvaneal bottom

DOORS: 14 gauge plain doors with a full height 3" wide 18 gauge door stiffener are standard. Louvered, Security-Plus and diamond perforated door styles are available

HANDLE: Deep-drawn seamless stainless steel recessed handle

LATCHING: Single-point maintenance-free quiet latching with 11 gauge MIG welded latch

HINGES: Heavy-duty 13 gauge 7-knuckle 3-1/2" hinges:

- 3-hinges per opening 48" high and higher
- 2-hinges per opening 20" high thru 36" high

SHELVES: 16 gauge galvaneal hat shelf for single tier openings 60" and 72" high, 16 gauge galvaneal intermediate shelves

HOOKS: 2-single hooks and 1-double hook is standard. 1-double hook only for triple tier and 1-double and 1-single hook for 9" wide openings 30" and higher

WARRANTY: Lifetime

SIZES: See page 5 for standard sizes




CLASSMATE™ unibody all-welded CORRIDOR LOCKERS



16 gauge continuous piano hinge



Deep drawn stainless steel recessed handle with gravity lift-type latching



UPGRADE TO PREMIER SERIES CLASSMATE® LOCKERS which include a 3" wide 18 gauge full height door stiffener spot welded to the inner door face and MIG welded to the hinge side as well as to the top and bottom door flanges providing a rigid torque-free door. A 1-1/2" wide stiffener will be furnished for 9" wide Premier doors.

Features

BODY CONSTRUCTION: All-welded unibody construction, 16 gauge solid sides integral with frame, 16 gauge continuous top, 18 gauge solid back, 16 gauge bottom

DOORS: 14 gauge louvered doors are standard. Plain, Security-Plus, Safety-View and diamond perforated door styles are available

HANDLE: Deep-drawn seamless stainless steel recessed handle

DOOR STRIKE: Continuous vertical door strike at both hinge and latch side

LATCHING: 12 gauge latch hooks MIG welded to frame. Gravity lift-type multi-point spring loaded latching:

- 3-point latching for openings 48" high and higher
- 2-point latching for openings 20" high thru 36" high

HINGES: 16 gauge continuous piano hinge

HOOKS: 2-single hooks and 1-double hook is standard. 1-double hook only for triple tier and 1-double and 1-single hook for 9" wide openings 30" and higher

SHELVES: 16 gauge hat shelf for single tier openings 60" and 72" high, 16 gauge intermediate shelves

WARRANTY: Lifetime

SIZES: See page 5 for standard sizes. Actual unibody locker height is the nominal height

MARQUIS® BOOKSAFE® III unibody all-welded CORRIDOR LOCKERS



MARQUIS BOOKSAFE III LOCKERS

include a 3" wide 18 gauge full height door stiffener spot welded to the inner door face and MIG welded to the hinge side as well as to the top and bottom door flanges providing a rigid torque-free door. A 1-1/2" wide stiffener will be



Deep drawn stainless steel recessed handle with single-point latching

Features

BODY CONSTRUCTION: All-welded unibody construction, 16 gauge solid sides integral with frame, 16 gauge continuous top, 18 gauge solid back, 16 gauge bottom

DOORS: 14 gauge plain doors with a 3" wide 18 gauge full height door stiffener are standard. Louvered, Security-Plus and diamond perforated door styles are available

HANDLE: Deep-drawn seamless stainless steel recessed handle with single-point latching

DOOR STRIKE: Continuous vertical door strike at both hinge and latch side

LATCHING: Single-point maintenance-free quiet latching with 11 gauge MIG welded latch

HINGES: 16 gauge continuous piano hinge is standard. Heavy-duty 13 gauge 3-1/2" 7 knuckle hinges are available as an upgrade

HOOKS: 2-single hooks and 1-double hook is standard. 1-double hook only for triple tier and 1-double and 1-single hook for 9" wide openings 30" and higher

SHELVES: 16 gauge hat shelf for single tier openings 60" and 72" high, 16 gauge intermediate shelves

WARRANTY: Lifetime

SIZES: See page 5 for standard sizes. Actual unibody locker height is the nominal height



AMERICA'S MOST COMPLETE LOCKER LINE

Features

BODY CONSTRUCTION: Unibody all-welded, 16 gauge solid sides, galvanneal corrosion resistant sheet steel. Back is 18 gauge

BODY STYLES: Single tier, designed for specialized use

FEATURES: Security box (9" x 12") with keyed lock

DOOR: 14 gauge louvered double doors with full-height welded-in stiffener. Security box door is not vented

HINGES: 16 gauge continuous piano type

HANDLE: 3-point high-security turn handle latching handle

HOOKS: Two single wall hooks in wardrobe area plus single hook in opening below security box

COAT RODS: One at vertical wardrobe section

SHELVES: 16 gauge, two full-width at top, one partial shelf above security box

Standard Upper Unit Sizes

WIDTHS	24", 30", 36", 48"
DEPTHS	18", 24"

Standard Lower Base Sizes

WIDTHS	24", 30", 36"
DEPTHS	30", 36"
HEIGHTS	18"

TASK FORCE EXP

EMERGENCY RESPONSE unibody all-welded PERFORMANCE LOCKERS



- **UTILITY BELT HOOK**
- **LOCKING SECURITY BOX**
- **ONE SIDE POCKET**, to accommodate a 1" thick clipboard
- **FULL HEIGHT PIANO HINGE**
- **FULL HEIGHT DOOR STIFFENER**
- **OPTIONAL LOWER STORAGE AREA** with pull-out drawer doubles as a seat with top



Base drawer is auto-locking when upper doors are latched

Available with and without base storage compartment and seat

CUBBIE unibody all-welded SCHOOL CUBBIE LOCKERS

PRIMARY CUBBIE

PRIMARY II CUBBIE

BACKPACK CUBBIE



PRIMARY JR. CUBBIE



Features

BODY CONSTRUCTION: Unibody all-welded 16 gauge steel construction, backs are 18 gauge, bottom is galvanneal sheet steel for maximum corrosion resistance, hemmed and beaded dividers are safe to the touch

BODY STYLES: Open design, 4 body styles

SHELVES: 16 gauge welded to body for added rigidity with a beaded leading edge for added safety

NOTES: Easily secures to wall and floor for added safety, low installation costs, reduced installation time, low maintenance, low life-cycle cost, lifetime warranty, insect and termite proof. All welded cubbies will ship in multiple column units up to 60" wide to meet individual jobsite conditions.

MODEL SIZES	WIDTH	DEPTH	HEIGHT
PRIMARY CUBBIE	12", 15"	12", 16"	48"
PRIMARY II CUBBIE	12", 15"	12", 16"	48"
PRIMARY JR. CUBBIE	12", 15"	12", 16"	24"
BACKPACK CUBBIE	15", 18"	12", 16"	48"



TURNOUT GEAR

fully-framed all-welded FIREFIGHTER LOCKERS



- ✓ **Heavy-Duty, all welded, rugged construction.**
- ✓ **Maximum ventilation with expanded metal sides.**
- ✓ **Upper shelf provides storage for helmets and head gear.**
- ✓ **Without base models include ventilated bottom.**
- ✓ **Open-front provides quick access to gear and clothing.**
- ✓ **721 Relay Red hammertone textured powder coat finish.**

Features

BODY CONSTRUCTION: Fully-framed all-welded Hollow-T construction, 13 gauge 1/2" fully-framed flattened expanded metal sides, 18 gauge solid back, 16 gauge galvanized bottom

DOORS (OPTIONAL): 14 gauge galvanized steel. Security box door is solid. Full-height door is diamond perforated and includes 18 gauge door stiffener

HANDLE/LATCHING: Optional security box has friction catch, finger pull. Optional full-height door has gravity lift-type multi-point spring loaded latching and stainless steel recessed handle. Optional foot locker is prepared for padlocks only

HINGES: Optional doors have heavy-duty 13 gauge 7-knuckle 3 1/2" hinges

SHELVES: Two upper 16 gauge galvanized steel shelves are standard

HOOKS/COAT ROD: Four single prong hooks and stainless steel coat rod are standard

WARRANTY: Lifetime

SIZE: 24 3/4" wide x 22" deep x 84" high (actual) add 2 1/4" to overall height for models with base

Base model and upper security box models are in stock with and without metal base.



Base model shown with standard perforated base and stainless steel coat rod.



Shown with optional security box and optional foot locker.



Shown with optional ventilated door and metal base.

SUPERIOR®

AMERICA'S MOST COMPLETE LOCKER LINE



UNIFORM Exchange Lockers™

8 PERSON UNIFORM EXCHANGE LOCKER

Model HUE214-8P
(32-9/16" w X 21" d X 84" h)



9 PERSON UNIFORM EXCHANGE LOCKER

Model HUE454-9P
(24" w X 15" d X 84" h)



FULL HEIGHT HANGING UNIFORM LOCKER

Model HUE214-1
(32-9/16" w X 21" d X 84" h)




HALF HEIGHT HANGING UNIFORM LOCKER

Model HUE214-2
(32-9/16" w X 21" d X 84" h)

SOILED UNIFORM EXCHANGE LOCKER

Model HUE614-1
(26" w X 21" d X 84" h)



HEAVY-DUTY PADLOCK HASP
HANDLES
(locks not included)



User doors reinforced at latches

Features

BODY CONSTRUCTION: 24 gauge, backs perforated for ventilation, galvanized bottoms

BODY STYLES: Full and half height hanging uniform lockers, 9 person folded uniform exchange lockers, 8 person hanging uniform exchange locker, soiled uniform locker

DOOR: User doors are 20 gauge (louvered at 8 and 9 Person)

HINGES: 5 knuckle (master door)

FRAME: Master door frame is 16 gauge

LATCHING: Master Door: Multi-point with industry standard key lock User Doors: Single-point turn latch for padlocks (locks not included)

COAT RODS: Standard for full and half height hanging uniform lockers and 8-Person exchange lockers

NOTES: All uniform exchange lockers ship fully-assembled



CLASSIC KD WARDROBE LOCKERS

(DOORS 20" HIGH AND HIGHER)



Deep drawn stainless steel recessed handle with gravity lift-type latching

MAXoption

UPGRADES all body components to 16 gauge with 18 gauge back. Recommended when placing heavy items in lockers such as backpacks.

WARDROBE LOCKER SIZES

STANDARD LOCKER SIZES	WIDTH	DEPTH	OPENING HEIGHT	FRAME HEIGHT
SINGLE TIER	9" 12" 15" 18" 24"	12" 15" 18" 21" 24"	36" 48" 60" 72"	36" 48" 60" 72"
DOUBLE TIER	9" 12" 15" 18"	12" 15" 18" 21" 24"	30" 36"	60" 72"
TRIPLE TIER	9" 12" 15"	12" 15" 18"	20" 24"	60" 72"

Features

BODY CONSTRUCTION: Knock down (KD) with 24 gauge solid body components

DOORS: 16 gauge louvered doors, 18 gauge for 9" wide are standard. Security-Plus, Safety-View and diamond perforated door styles are available

FRAME: 16 gauge frame with 16 gauge horizontal cross member between doors on double and triple tier wardrobe lockers

HANDLE: Deep-drawn seamless stainless steel recessed handle

DOOR STRIKE: Continuous vertical door strike at both hinge and latch side

LATCHING: 12 gauge latch hooks MIG welded to frame. Gravity lift-type multi-point spring loaded latching:

- 3-point latching for openings 48" high and higher
- 2-point latching for openings 20" high thru 36" high

HINGES: 16 gauge continuous piano hinge

HOOKS: 2-single hooks and 1-double hook is standard. 1-double hook only for triple tier and 1-double and 1 - single hook for 9" wide openings 30" and higher

SHELVES: Hat shelf for single tier openings 60" and 72" high

NOTES: All production KD lockers are supplied without legs unless otherwise specified

WARRANTY: 2 years

SIZES: See chart below for sizes

CLASSIC KD BOX LOCKERS

(DOORS 18" HIGH AND LOWER)



Box door single point thru-the-door finger pull padlock hasp

Optional padlock strike plates for box doors protect finish from being marred by padlock

MAXoption

UPGRADES all body components to 16 gauge with 18 gauge back. Recommended when placing heavy items in lockers such as backpacks.

BOX LOCKER SIZES

STANDARD LOCKER SIZES	WIDTH	DEPTH	OPENING HEIGHT	FRAME HEIGHT
FOUR TIER	12", 15"	12", 15", 18"	15", 18"	60", 72"
FIVE TIER	12", 15"	12", 15", 18"	12", 14.4"	60" 72"
SIX TIER	12", 15"	12", 15", 18"	12"	72"

Features

BODY CONSTRUCTION: Knock down (KD) with 24 gauge solid body components

DOORS: 18 gauge louvered doors are standard. Plain, Security-Plus, Safety-View Plus and diamond perforated door styles are available

FRAME: 16 gauge frame

HANDLE: Projecting finger pull

DOOR STRIKE: Continuous vertical door strike at both hinge and latch side

LATCHING: Single-point thru-the-door finger pull padlock hasp

HINGES: 16 gauge continuous piano hinge

NOTES: All production KD lockers are supplied without legs unless otherwise specified. Safety-View Plus polycarbonate doors are available for 12" wide x 12" high five and six tier box doors only

HOOKS: None

WARRANTY: 2 years

SIZES: See chart below for sizes

SUPERIOR®



AMERICA'S MOST COMPLETE LOCKER LINE

CLASSIC KD SPECIALTY LOCKERS

SIXTEEN PERSON

DUPLEX

Duplex lockers are the most economical full length locker available. This locker conserves valuable floor space, yet provides ample height for hanging full length garments. Duplex lockers provide two completely private lockers in each frame. One hat shelf and two single hooks are standard in each wardrobe opening. Coat rod is optional for 18" and deeper.

TWO-PERSON

Two-Person lockers provide ample storage space for two users in a 15" wide space. Upper box doors are controlled by command latches located in the corresponding lower compartment. Two single hooks per wardrobe opening is standard. Coat rod is optional for 18" and deeper.



Deep drawn stainless steel recessed handle with gravity lift-type latching is standard for Duplex and Two-Person wardrobe doors



Sixteen Person lockers are the economical solution for personal security along with hanging space for full length garments. Ideal for student & teacher lounges, offices, commercial and retail establishments. 48" coat rod and 6" legs are standard

4-WIDE WALL MOUNT

Wall mount Lockers provide ample additional storage space. 48" undermount coat rod is optional.

NOTE:

- Plain, Security-Plus and diamond perforated doors are available for all specialty lockers.
- Safety-View Plus polycarbonate doors are available for Sixteen Person and 4 wide wall mount.

STANDARD LOCKER SIZES		WIDTH	DEPTH	OPENING HEIGHT	FRAME HEIGHT
SPECIALTY LOCKERS	TWO PERSON	15" 18"	12", 15", 18", 21"	N/A	60", 72"
	DUPLEX	15"	12", 15", 18", 21"	60", 72"	60" 72"
	*SIXTEEN PERSON	72"	18"	12"	78" (with 6" legs)
	4-WIDE WALL MOUNT	48"	18"	12"	14-3/4"

STANDARD QUIET & WHISPER QUIET KD WARDROBE LOCKERS

STANDARD QUIET ECONOMY MODEL

Standard Quiet lockers are constructed exactly like our Classic K.D. lockers except the door is furnished without louvers eliminating air rush through the door and providing quiet operation.

SOUND DEADENING PANEL IS STANDARD ON WHISPER QUIET LOCKERS

MAXoption

UPGRADES all body components to 16 gauge with 18 gauge back. Recommended when placing heavy items in lockers such as backpacks.



STANDARD QUIET ECONOMY MODEL

WHISPER QUIET PREMIUM MODEL

Features

BODY CONSTRUCTION: Knock down (KD) with 24 gauge solid body components

DOORS: 16 gauge plain doors (18 gauge for 9" wide), Sound deadening panel and vinyl coated latching for Whisper quiet lockers only

FRAME: 16 gauge frame with 16 gauge horizontal cross member between doors on double and triple tier wardrobe lockers

HANDLE: Deep drawn stainless steel recessed handle

DOOR STRIKE: Continuous vertical door strike at both hinge and latch side

LATCHING: 12 gauge latch hooks MIG welded to frame. Gravity lift-type multi-point spring loaded latching:

- 3-point latching for openings 48" high and higher
- 2-point latching for openings 20" high thru 36" high

HINGES: 16 gauge continuous piano hinge

HOOKS: 2-single hooks and 1-double hook is standard. 1- double hook only for triple tier and 1-double and 1 - single hook for 9" wide openings 30" and higher

SHELVES: Hat shelf for single tier openings 60" and 72" high

NOTES: All production KD lockers are supplied without legs unless otherwise specified

WARRANTY: 2 years

SIZES: See wardrobe locker chart on page 13 for sizes



Deep drawn stainless steel recessed handle with gravity lift-type latching



Ventilated top and bottom door flanges are included on all Standard Quiet and Whisper Quiet Lockers



HEAVY-DUTY CORRIDOR (HDC) KD WARDROBE LOCKERS




MAXoption

UPGRADES all body components to 16 gauge with 18 gauge back. Recommended when placing heavy items in lockers such as backpacks.



Deep drawn stainless steel recessed handle with gravity lift-type latching



Features

BODY CONSTRUCTION: Knock down (KD) with 24 gauge solid body components

DOORS: 14 gauge louvered doors are standard. Plain, Security-Plus, Safety-View and diamond perforated door styles are available

FRAME: 16 gauge frame with 16 gauge horizontal cross member between doors on double and triple tier wardrobe lockers

HANDLE: Deep-drawn seamless stainless steel recessed handle

DOOR STRIKE: Continuous vertical door strike at both hinge and latch side

LATCHING: 12 gauge latch hooks MIG welded to frame. Gravity lift-type multi-point spring loaded latching:

- 3-point latching for openings 48" high and higher
- 2-point latching for openings 20" high thru 36" high

HINGES: 16 gauge continuous piano hinge

HOOKS: 2-single hooks and 1-double hook is standard. 1- double hook only for triple tier and 1-double and 1- single hook for 9" wide openings 30" and higher

SHELVES: Hat shelf for single tier openings 60" and 72" high

NOTES: All production KD lockers are supplied without legs unless otherwise specified

WARRANTY: 2 years

SIZES: See wardrobe locker chart on page 13 for sizes

UPGRADE TO PREMIER SERIES HDC Corridor lockers which include a 3" wide 18 gauge full height door stiffener spot welded to the inner door face and MIG welded to the hinge side as well as to the top and bottom door flanges providing a rigid torque-free door. A 1-1/2" wide stiffener will be furnished for 9" wide Premier doors.

MARQUIS® STUDENT KD WARDROBE LOCKERS

AMERICA'S FIRST
MAINTENANCE-FREE
SINGLE-POINT LOCKER
FEATURES NO MOVING
PARTS.

OVER 25 YEARS OF
EXPERIENCE SETS
MARQUIS STUDENT
LOCKERS ABOVE THE
REST.



MAXoption

UPGRADES all body components to 16 gauge with 18 gauge back. Recommended when placing heavy items in lockers such as backpacks.



Features

BODY CONSTRUCTION: Knock down (KD) with 24 gauge solid body components

DOORS: 14 gauge plain doors with 18 gauge full-height door stiffener are standard. Louvered, Security-Plus and diamond perforated door styles are available

FRAME: 16 gauge frame with 16 gauge horizontal cross member between doors on double and triple tier wardrobe lockers

HANDLE: Deep-drawn seamless stainless steel recessed handle

DOOR STRIKE: Continuous vertical door strike at both hinge and latch side

LATCHING: Single-point maintenance-free quiet, 11 gauge latch hooks MIG welded to frame

HINGES: 16 gauge continuous piano hinge is standard. Heavy-duty 13 gauge 3-1/2" 7-knuckle hinges are available as an upgrade

HOOKS: 2-single hooks and 1-double hook is standard. 1- double hook only for triple tier and 1-double and 1- single hook for 9" wide openings 30" and higher

SHELVES: Hat shelf for single tier openings 60" and 72" high

NOTES: All production KD lockers are supplied without legs unless otherwise specified

WARRANTY: 2 years

SIZES: See wardrobe locker chart on page 13 for sizes

MARQUIS STUDENT LOCKERS include a 3" wide 18 gauge full height door stiffener spot welded to the inner door face and MIG welded to the hinge side as well as to the top and bottom door flanges providing a rigid torque-free door. A 1-1/2" wide stiffener will be furnished for 9" wide Marquis doors.



Deep drawn stainless steel recessed handle with single-point latching

SUPERIOR®

AMERICA'S MOST COMPLETE LOCKER LINE



HEAVY-DUTY VENTILATED (HDV) KD WARDROBE & BOX LOCKERS



UPGRADES:

Upgrade to our Premier Series HDV lockers which include a full height door stiffener welded to the inner door face.

Upgrade to our **Marquis Student HDV lockers** which include our single-point latching and a full height door stiffener welded to the



Deep drawn stainless steel recessed handle with gravity lift-type latching is standard for HDV wardrobe doors 20" high and higher

Features

BODY CONSTRUCTION (WARDROBE & BOX LOCKERS): Knock down (KD) with 16 gauge solid top, bottom and intermediate shelves, 16 gauge diamond perforated sides, 18 gauge solid back

DOORS: 14 gauge diamond perforated doors are standard. Louvered, Security-Plus and Safety-View door styles are available

FRAME: 16 gauge frame with 16 gauge horizontal cross member between doors on double and triple tier wardrobe lockers

HINGES: 16 gauge continuous piano hinge

DOOR STRIKE: Continuous vertical door strike at both hinge and latch side

WARDROBE LOCKERS (Doors 20" and higher):

HANDLE: Deep-drawn seamless stainless steel recessed handle

LATCHING: Gravity lift-type multi-point spring loaded latching:

- 3-point latching for openings 48" high and higher,
- 2 point latching for openings 20" high thru 36" high

HOOKS: 2-single hooks and 1-double hook is standard.

- 1 - double hook only for triple tier and 1-double
- 1 - single hook for 9" wide openings 30" and higher

SHELVES: 16 gauge hat for single tier openings 60" and 72" high

BOX LOCKERS:

HANDLE: Single-point thru-the-door finger pull padlock hasp

HOOKS: None

NOTES: All production KD lockers are supplied without legs unless otherwise specified

WARRANTY: 2 years

SIZES: See charts on page 13 for sizes

DOOR VENTILATION OPTIONS

Please refer to individual product pages for applicable options.



Plain Doors
(Quiet)



Louvered Doors
(Classic)



Louvered Doors
(With Door Stiffener)



Diamond Perforated Doors
(High Ventilation)



Diamond Perforated Doors
(With Door Stiffener)



Security-Plus Doors
(Security Ventilation)




Safety-View Doors
(See-thru Polycarbonate Insert)



Safety-View Plus Box Doors
(See-thru Polycarbonate Door)
12" wide x 12" high and
12" wide x 18" high
KD box doors only



Hybrid Red Oak Plain Door



Hybrid Red Oak Panel Door



RECRUITER

SUPERIOR Custom Wood Sport Lockers

- All lockers ship fully-assembled
- Fabricated from furniture grade red oak
- Strong, durable and long-lasting
- Excellent moisture resistance
- Shoulder pad storage
- Upper security box door includes built-in combination lock
- Optional team engraved logo on security box door
- Lower foot locker/seat allows for storage of bulk items
- Chrome plated coat rod

Features

BODY CONSTRUCTION: Wood lockers shall be fabricated from 3/4" plain sliced red oak plywood throughout including sides, backs and hat shelves.

BODY STYLES: Open-front with upper security box and footlocker

STOCK SIZES: 24" wide x 24" deep x 84" high
30" wide x 24" deep x 84" high

FINISH: All locker parts to be finished with a 3-coat formaldehyde-free conversion varnish.

TRIM: Face trim, shelf valances, seat front nosing, seat hinge support blocking and seat side support cleats are made from red oak lumber

SECURITY BOX DOOR: Made from red oak lumber

HINGES: Continuous in bright brass plating

HOOKS: Two double prong metal hooks

CLOTHES ROD: Made from KV 1-1/16" diameter chrome plated steel, 075" wall thickness

UPPER SHELF: Covered with Wilson-Art 7888-60 Golden Oak plastic laminate for durability

APPEARANCE: Color: Natural red oak

WARRANTY: 1 year



Non-stock sizes, optional wood species and specific configurations are also available. Please consult factory for details.

www.ListIndustries.com

THE BEAUTY IS IN THE DETAILS...



SUPERIOR®

AMERICA'S MOST COMPLETE LOCKER LINE



Club Lockers



Shown with optional finished end panels, base and crown molding

Features

BODY CONSTRUCTION: Wood lockers shall be fabricated from 3/4" plain sliced red oak plywood throughout including sides, backs and hat shelves.

BODY STYLES: Single, double and triple tier

FINISH: All interior/front faces to be finished with a 3-coat formaldehyde-free conversion varnish.

DOOR: Furniture grade red oak plywood, finished with 3 coats of lacquer

LATCHING: Cylinder key locks are standard

HINGES: Concealed european-style cabinet hinges

HOOKS: Two single hooks per single and double tier opening. One double prong ceiling hook for triple tier.

COAT RODS: Standard for single and double tier

SHELVES: Hat shelf is included in single tier lockers.

LEGS: No legs


APPEARANCE: Natural red oak



Available optional decorative crown molding and base in red oak finish



Optional wood species and door styles are available. Doors can be prepared for key locks, electronic locks, and padlocks. Please consult factory for details.



Key locks are standard



Concealed european style cabinet door hinges



AQUAMAX™ solid hdpe plastic WARDROBE & BOX LOCKERS

IDEAL FOR USE IN WET ENVIRONMENTS SUCH AS
SHOWER AREAS, POOL AREAS AND OUTDOORS.



Standard Sizes	
WIDTH	12" 15" 18"
DEPTH	12" 15" 18"
HEIGHT	60" 72"

Features

BODY CONSTRUCTION: High density (HDPE) Polyethylene plastic, 3/8" thick body panels

DOORS: 1/2" thick solid HDPE plain doors with perimeter ventilation

HANDLE (wardrobe): Projecting solid plastic lift handle

HANDLE (box): Box doors 18" and under include a single-point projecting padlock hasp with door pull

LATCHING: Full-height lift-type latching for single, double and triple tier wardrobe lockers

HINGES: Continuous aluminum hinge is powder coated

HOOKS: Two stainless steel single prong hooks in single and double tier

SHELVES: Upper hat shelf and lower shelf included in single tier lockers 60" and 72" high

NOTES: All doors prepared for use with padlock (locks not included). Production locker body components are available in white only.

WARRANTY: 20 years

SIZES: See chart

Available in single, double, triple, four, five, six and "Z" tier configurations..

MEDSAFE™ AQUAMAX™ solid hdpe plastic ANTIMICROBIAL WARDROBE & BOX LOCKERS

HDPE CONTAINS A SPECIALLY FORMULATED
ANTIMICROBIAL AGENT THAT PERMANENTLY RESISTS
THE GROWTH OF BACTERIA, YEAST AND MILDEW.



Standard Sizes	
WIDTH	12" 15" 18"
DEPTH	12" 15" 18"
HEIGHT	60" 72"

Features

BODY CONSTRUCTION: High density (HDPE) Polyethylene plastic, 3/8" thick body panels

DOORS: 1/2" thick solid HDPE plain doors with perimeter ventilation

HANDLE (wardrobe): Projecting solid plastic lift handle

HANDLE (box): Box doors 18" and under include a single-point projecting padlock hasp with door pull

LATCHING: Full-height lift-type latching for single, double and triple tier wardrobe lockers

HINGES: Continuous aluminum hinge is powder coated

HOOKS: Two stainless steel single prong hooks in single and double tier

SHELVES: Upper hat shelf and lower shelf included in single tier lockers 60" and 72" high

NOTES: All doors prepared for use with padlock (locks not included). Production locker body components are available in white only.

WARRANTY: 20 years

SIZES: See chart

Available in single, double, and "Z" tier configurations..

AMERICA'S MOST COMPLETE LOCKER LINE

VERSAMAX™ solid phenolic BOX & WARDROBE LOCKERS

THE UNIQUE NON-POROUS SURFACE OF PHENOLIC MATERIAL ELIMINATES THE ABILITY FOR MOLD, MILDEW AND BACTERIA TO GROW MAKING THESE LOCKERS IDEAL FOR WET AND DAMP AGENTS.



Standard Sizes	
WIDTH	12", 15", 18"
DEPTH	12", 15", 18"
HEIGHT	60", 72"

Features

BODY CONSTRUCTION: Phenolic construction, Sides and backs are 5/16" thick. Tops, bottoms and shelves are 3/8" thick.

DOORS: 1/2" thick solid phenolic with perimeter ventilation.

BODY STYLES: Single tier, double tier, six tier and z-tier

HANDLE (Padlock Ready): 11 gauge finger-pull 304 stainless steel hasp, prepared for padlock

HANDLE (Electronic Lock): Built-in Digitech Lock serves as handle

HANDLE (Key Cam Lock): Built-in key cam lock serves as handle



SHELVES : Hat shelf for single tier lockers

WARRANTY: 20 years

PHENOLIC ADVANTAGES:

- Phenolic's unique non-porous surface eliminates the ability for mold, bacteria and mildew to grow making it ideal for wet areas.
- Corrosion Resistant
- Impact and dent resistant
- Easy to clean
- Fungus and odor resistant
- Graffiti resistant (pencil, pen, paint and most common markers)

AVAILABLE FROM STOCK WITH 3 DIFFERENT LOCK CHOICES:



304 STAINLESS STEEL STAINLESS STEEL LOCKERS



PERFECT FOR AREAS PRONE TO RUST AND SANITATION CONCERNS AND ARE IDEAL FOR FOOD INDUSTRY, AND OUTDOOR APPLICATIONS.



Features

BODY CONSTRUCTION: Knock down (KD) with 24 gauge 304 stainless steel body components

DOORS: 16 gauge 304 stainless steel louvered doors are standard.

FRAME: 16 gauge 304 stainless steel frame with 16 gauge horizontal cross member between doors on double tier wardrobe lockers

HANDLE (wardrobe): Deep-drawn seamless 304 stainless steel recessed handle

HANDLE (box): Projecting finger-pull handle is standard

DOOR STRIKE: Continuous vertical door strike at both hinge and latch side

LATCHING (wardrobe): 12 gauge latch hooks MIG welded to frame. Gravity lift-type multi-point spring loaded latching:

- 3-point latching for openings 48" high and higher

- 2-point latching for openings 20" high thru 36" high

LATCHING (box): Single-point thru-the-door finger pull padlock hasp

HINGES: 2" long 16 gauge 5-knuckle stainless steel hinges. 3 hinges for doors 48" and higher and 2 for doors under 48" high.

HOOKS: 2-single hooks and 1-double hook is standard. 1- double hook only for triple tier and 1-double and 1 - single hook for 9" wide openings 30" and higher. No hooks in openings less than 20" high.

SHELVES : Hat shelf for single tier openings 60" and 72" high

NOTES : All production KD lockers are supplied without legs unless otherwise specified

WARRANTY: 2 years

SIZES: See wardrobe and box locker charts on page 13 for sizes

LOCKER BENCHES, PEDESTALS & LOCKS



4805 HEAVY DUTY STEEL PEDESTAL

Fabricated from 14 ga tube steel with 11 ga formed flanges.


Color: Parchment



4825 STAINLESS STEEL PEDESTAL

Fabricated from 16 ga stainless steel. Designed for moveable and fixed use.

Color: Unpainted



8032 ADJUSTABLE STEEL PEDESTAL

With cast aluminum base and concealed anchoring to floor.

Color: Parchment



4810 EXTRA HEAVY-DUTY CAST IRON PEDESTAL

With 6" diameter top and bottom flanges with three anchoring holes.

Color: Parchment




4820 ALUMINUM MOVEABLE PEDESTAL

Includes holes for optional permanent anchoring to floor.

Color: Parchment



SHOWN WITH 4820 PEDESTALS



SHOWN WITH 4810 PEDESTALS

LOCKER BENCHES are 9-1/2" wide x 1-1/4" thick and made from laminated white northern hard wood. They are finished with one coat deep penetrating hot sealer and two coats of heavy body high impact hot hydraulically applied lacquer. Bench tops are standard in one foot increments from 3' thru 15'. Non-standard lengths are available on special order (pedestal requirement will be for next standard size up).



BENCH TOP LENGTH	3' - 8'	9' - 14'	15'
PEDESTALS REQUIRED	2	3	4

NOTE: Bench top lengths over 15' will be supplied in sec-

PADLOCKS, BUILT-IN LOCKS & SPECIALTY LOCKS

LIST INDUSTRIES RECOMMENDS MASTER® LOCKS FOR USE ON ALL SUPERIOR LOCKERS.



MASTER LOCK CO. BUILT-IN COMBINATION LOCK

Available in spring-bolt and dead-bolt styles, are key controlled and include multiple combination settings



MASTER LOCK CO. COMBINATION PADLOCK

Available standard and master-keyed, Master Lock padlocks can be used on all locker types



MASTER LOCK CO. BUILT-IN KEY LOCK

Available in spring-bolt and dead-bolt styles - Available in standard or master-keyed



MASTER LOCK CO. ADA COMPLIANT LOCK

Available for all Master Lock models

NON-STOCK ITEMS - CALL FOR AVAILABILITY



SAFE-O-MAT® BUILT-IN COIN, TOKEN & CARD LOCKS

Available in coin return and coin collect as well as token collect and card access styles




DIGILOCK® KT AND KP SERIES

Digital locks allow access using a programmable four-digit code



DIGILOCK® T-SERIES

Digitally controlled locks allow access by touching a key fob to the lock which automatically unlocks the door.



HALLOWELL DIGITECH LOCKS

Digttech locks allow access using a programmable four-digit code

NOTE: An ADA compliant lock must be used on any locker that is required to meet ADA guidelines

Visit www.ListIndustries.com or call 800-776-1342 for our full-line catalog and specifications

SUPERIOR®

AMERICA'S MOST COMPLETE LOCKER LINE



CLASSIC KD
Wardrobe & Box Lockers



BLACK TIE
Commercial Lockers



STAINLESS STEEL
Wardrobe & Box Lockers



SAFETY-VIEW
Wardrobe Lockers



SAFETY-VIEW PLUS
Box Lockers



DIGITECH SAFETY-VIEW
Electronic Box Lockers



READYBUILT & READYBUILT II
Ready-To-Go Lockers



QUICKSHIP Lockers
Ship in 5 Days



PE/GYM
All-Welded
Ventilated Lockers

List Industries Inc.'s Quickship stock locker program is the largest of its kind. Our unparalleled array of stock lockers and services assures that your order will ship fast and secure while saving you time and money on shipping cost.

All products are packaged above industry standards to ensure your material arrives in perfect condition. List Industries Inc. strives to provide the best in logistics, service and product diversity resulting in a satisfying customer experience with every order.



MAINTENANCE FREE
Quiet Lockers



MAXVIEW
High Visibility Lockers



SECURITYMAX
High Security Lockers



CLUB
Prestigious
Wood Lockers



HYBRID
Wood & Metal
Lockers



TA-50
Ventilated
Gear Lockers



RECRUITER
Open-Front
Wood Sport Lockers



MEDSAFE
Antimicrobial Lockers

VALUEMAX
Economy Lockers

HDV HEAVY-DUTY
Ventilated Lockers

SINGLE-POINT
Welded Lockers

ROOKIE
Open-Front
KD Gear Lockers

GALVANITE
Corrosion Resistant
Lockers

LAPTOP/BACKPACK
Ventilated Charger
Lockers

CELLPHONE/TABLET
Mobile Device Lockers

6 Distribution Centers Nationwide

List Industries Inc.'s six distribution centers are strategically located around the United States to allow for localized distribution. All six distribution centers are company owned and company operated to ensure your orders are properly prioritized and that all operations meet our company standards.

Each of the six distribution centers are full service, offering both knock-down and fully-assembled lockers which allows List Industries Inc. to lead the way in localized quality services.

Our wide variety of stock lockers allows you to get the exact locker you need no matter what your specification requirements may be: box or wardrobe lockers, plastic, wood or metal lockers, high performance or emergency response, open-front or high security.

We have the right locker for you, and when you order from stock, you save money and time.

To see a complete list of stock lockers, visit our website:
www.Listindustries.com



KID/TEEN
Home Lockers



HOME TEAM
Ventilated Home Lockers



CUBIX
Modular Box Lockers



UNIFORM EXCHANGE
Garment Lockers



TURNOUT GEAR
All-Welded Firefighter Lockers



BSL
Bulk Storage
Lockers



TASKFORCE XP
Emergency Response
Lockers



VERSAMAX
Phenolic Lockers



MEDSAFE AQUAMAX
HDPE Antimicrobial Lockers



AQUAMAX
HDPE Plastic Lockers

www.ListIndustries.com

SUPERIOR
AMERICA'S MOST COMPLETE LOCKER LINE

Now you can select from
24 Designer Powder Coat Colors

and choose Two-Tone Color combinations for your steel production lockers at no additional cost.



Choose doors of one color and frame of a second color to add more visual impact to any project design.

All surfaces shall be thoroughly cleaned with a seven stage hot-spray washing process and coated with a zirconium-based nanotechnology which provides a green alternative to traditional iron phosphate. This coating is completely phosphate-free and regulated heavy-metal free.

A high grade custom blended powder is applied by a computer controlled, highly efficient electrostatic paint system. The product is cured for 20 minutes at 350 degrees through a continuous baking oven to provide maximum paint adhesion, tough durability and a high grade paint finish.

All body components of production KD lockers will be painted our standard neutral color, currently Parchment (choice of Parchment or Hallowell Gray for HDV body components only).



Metal Locker Color Selection

714 Snow White	708 Midnight Ebony	739 Bubble Gum	711 Platinum	706 Heather	725 Hallowell Gray
738 Charcoal	729 Parchment	713 Sand Beige	710 Sandstone	723 Trophy	737 Forest Gold
728 Hoop	721 Relay Red	727 Maroon	720 Pep Rally	719 Jersey	731 Denim
717 Grand Slam	707 Marine Blue	722 Tidal Wave	705 Green Mist	735 Basil	704 Evergreen

Colors shown are an approximate representation of the actual color. Please do not make your final color selection from printed media or internet images, as they may not be 100% accurate.

For a more accurate color selection call

800-776-1342

or e-mail us at

info@ListIndustries.com

to request a full set of our master metal color samples.

List Industries Inc. reserves the right to modify its designs and/or make changes in specifications or colors without prior notice. In the interest of safety, all Superior lockers, cubbies and shelving must be **securely** anchored to the floor and/or wall.



401 Jim Moran Blvd., P.O. Box 9601 Deerfield Beach, FL 33442

www.ListIndustries.com

800-776-1342

(954) 429-9155 Fax (954) 428-3843